



CODEMARK™

Product Description

- 1. Termguard Ultimate Underslab & Perimeter System**, underslab and perimeter reticulation system.
- 2. Termguard Perimeter & Penetrations Retreatment System**, perimeter and penetration reticulation system.
- 3. Termguard Perimeter & Armourshields System**, perimeter reticulation system incorporating rigid collars to protect penetrations.

Product Purpose or Use

Perimeter, underslab and penetrations chemical retreatment reticulation system including penetration collars to deter concealed entry by sub terranean termites into a building.

Certificate Holder

Termguard Pty Ltd
ABN 23009302265
1 Rivendell Place
Upper Coomera QLD 4209

CodeMark Certification Body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 286 Sussex Street, Sydney, NSW 2000
Website: www.saiglobal.com

CERTIFICATE OF CONFORMITY

This is to certify that

Termguard Reticulation Termite Management System



Complies with the Building Code of Australia (BCA):

1. Volume One: BP1.1 and BP1.2 *(limited only to actions by subterranean termites)*
2. Volume Two: P2.1 *(limited only to actions by subterranean termites)*
3. State Additions: Volume Two: QLD P2.1.1 *(limited only to actions by subterranean termites)*

Subject to the following conditions and limitations:

1. The Termguard Termite Barrier System is to be installed by licensed installers trained and approved by Termguard Pty Ltd.
2. The Termguard Termite Barrier System is to be installed in accordance with Edition 9 of the Technical Manual July 2007.
3. The Termguard Termite Barrier System is not installed in the wall sub-cavity of buildings.
4. Penetrations of a different size to the preformed Termguard Armoured Shield collars are to be protected using the Termguard penetration reticulation configuration installed as described in the Technical Manual.
5. The Termguard Armourshield collars are to be glued to the penetration pipes that they protect as described in the Technical Manual.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-1996 Residential Slabs and Footings - Construction *(as amended up to and including Amdt 4, May 2003)*
7. This certification covers The Termguard Termite Barrier System only when used with the following termiticides:
 - Biflex Aqua by FMC Australasia Pty Ltd, APVMA product number 56517
 - Biflex T and I by FMC Australasia Pty Ltd, APVMA product number 54547
 - Isophor by Ensystem Australasia Pty Ltd, APVMA product number 57011
 - Isophor Aqua by Ensystem Australasia Pty Ltd, APVMA product number 58310
8. Inspections are undertaken annually in accordance with the Termguard Barrier System Technical Manual to determine that no bridging or breaching of the barrier has occurred.



Alex Ezrakhovich
General Manager Certification
For and on behalf of SAI Global

14/08/2007

**Reissue
Date**

24/07/2007

**Original
Date of Issue**

23/07/2010

Date of Expiry

SAIG-07-CM20006

Certificate Number

- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.